

## MULTIPLE CHOICE

1. Objects are created from abstract data types that encapsulate \_\_\_\_\_ and \_\_\_\_\_ together.
  - a. numbers, characters
  - b. data, functions
  - c. addresses, pointers
  - d. integers, floats
2. In OOP terminology, an object's member variables are often called its \_\_\_\_\_, and its member functions are sometimes referred to as its behaviors, or \_\_\_\_\_.
  - a. values, morals
  - b. data, activities
  - c. attributes, activities
  - d. attributes, methods
3. A C++ class is similar to one of these.
  - a. inline function
  - b. header file
  - c. library function
  - d. structure
4. Examples of access specifiers are the keywords:
  - a. near and far
  - b. opened and closed
  - c. private and public
  - d. table and row
5. This is used to protect important data.
  - a. public access specifier
  - b. private access specifier
  - c. protect() member function
  - d. class protection operator, @
6. Class declarations are usually stored here.
  - a. On separate disk volumes
  - b. In their own header files
  - c. In .cpp files, along with function definitions
  - d. Under pseudonyms
7. This directive is used to create an "include guard," which allows a program to be conditionally compiled. This prevents a header file from accidentally being included more than once.
  - a. #include
  - b. #guard
  - c. #ifndef
  - d. #endif
8. When the body of a member function is defined inside a class declaration, it is said to be
  - a. static
  - b. globally
  - c. inline
  - d. conditionally

9. A \_\_\_\_\_ is a member function that is automatically called when a class object is \_\_\_\_\_.
- destructor, created
  - constructor, created
  - static function, deallocated
  - utility function, declared
10. The constructor function's return type is
- int
  - float
  - structure pointer
  - None of these
11. The destructor function's return type is:
- tilde
  - int
  - float
  - nothing. Destructors have no return type.
12. When a constructor function accepts no arguments, or does not have to accept arguments because of default arguments, it is called a(n):
- empty constructor
  - default constructor
  - stand-alone function
  - arbitrator function
13. This type of member function may be called from a statement outside the class.
- public
  - private
  - undeclared
  - global
14. If you do not declare an access specification, the default for members of a class is
- inline
  - private
  - public
  - global
15. In a procedural program, you typically have \_\_\_\_\_ stored in a collection of variables, and a set of \_\_\_\_\_ that perform operations on the data.
- numbers, arguments
  - parameters, arguments
  - strings, operators
  - data, functions
16. A class is a(n) \_\_\_\_\_ that is defined by the programmer.
- data type
  - function
  - method
  - attribute
17. Members of a class object are accessed with the
- dot operator.
  - cin object.
  - extraction operator.
  - stream insertion operator.

18. Assuming that `Rectangle` is a class name, the statement

```
Rectangle *BoxPtr;
```

- a. declares an object of class `Rectangle`
  - b. assigns the value of `*BoxPtr` to the object `Rectangle`
  - c. defines a `Rectangle` pointer variable called `BoxPtr`
  - d. is illegal in C++
19. When you dereference an object pointer, use the
- a. `->` operator
  - b. `<>` operator
  - c. dot operator
  - d. `&` operator
20. This type of member function may be called only from a function that is a member of the same class.
- a. public
  - b. private
  - c. global
  - d. local
21. The constructor function always has the same name as
- a. the first private data member
  - b. the first public data member
  - c. the class
  - d. the first object of the class
22. This is automatically called when an object is destroyed.
- a. constructor function
  - b. specification deallocator
  - c. destructor function
  - d. coroner function
23. A class may have this many default constructor(s).
- a. only one
  - b. more than one
  - c. a maximum of two
  - d. any number of
24. Objects in an array are accessed with \_\_\_\_\_, just like any other data type in an array.
- a. subscripts
  - b. parentheses
  - c. `#include` statements
  - d. output format manipulators
25. The process of object-oriented analysis can be viewed as the following steps:
- a. Identify objects, then define objects' attributes, behaviors, and relationships
  - b. Define data members and member functions, then assign a class name
  - c. Declare private and public variables, prototype functions, then write code
  - d. Write the `main()` function, then determine which classes are needed
26. Assume that `myCar` is an instance of the `Car` class, and that the `Car` class has a member function named `accelerate`. Which of the following is a valid call to the `accelerate` member function?
- a. `Car->accelerate();`
  - b. `myCar::accelerate();`
  - c. `myCar.accelerate();`
  - d. `myCar:accelerate();`

27. If a local variable and a global variable have the same name within the same program, the \_\_\_\_\_ resolution operator must be used.
- variable
  - ambiguity
  - scope
  - global

28. For the following code, which statement is *not* true?

```
class Point
{
    private:
        double y;
        double z;
    public:
        double x;
};
```

- x is available to code that is written outside the class.
  - The name of the class is `Point`.
  - x, y, and z are called members of the class.
  - z is available to code that is written outside the class.
29. What is the output of the following program?

```
#include <iostream>
using namespace std;

class TestClass
{
    public:
        TestClass(int x)
        { cout << x << endl; }

        TestClass()
        { cout << "Hello!" << endl; }
};

int main()
{
    TestClass test;
    return 0;
}
```

- The program runs, but with no output.
  - 0
  - Hello!
  - The program will not compile.
30. When a member function is defined outside of the class declaration, the function name must be qualified with the:
- class name, followed by a semicolon
  - class name, followed by the scope resolution operator
  - name of the first object
  - private access specifier
  - None of these

31. What is the output of the following program?

```
#include <iostream>
using namespace std;

class TestClass
{
    public:
        TestClass(int x)
        { cout << x << endl; }

        TestClass()
        { cout << "Hello!" << endl; }
};

int main()
{
    TestClass test(77);
    return 0;
}
```

- a. The program runs, but with no output.
- b. 77
- c. Hello!
- d. The program will not compile.

32. What is the output of the following program?

```
#include <iostream>
using namespace std;

class TestClass
{
    private:
        int val;
        void showVal()
        { cout << val << endl; }

    public:
        TestClass(int x)
        { val = x; }
};

int main()
{
    TestClass test(77);
    test.showVal();
    return 0;
}
```

- a. The program runs, but with no output.
- b. 77
- c. 0
- d. The program will not compile.

#### TRUE/FALSE

1. True/False: Whereas object-oriented programming centers around the object, procedural programming centers around functions.  
ANS: T
2. True/False: Class objects can be defined prior to the class declaration.  
ANS: F
3. True/False: The constructor function may not accept arguments.

ANS: F

4. True/False: A destructor function can have zero to many parameters.

ANS: F

5. True/False: More than one constructor function may be defined for a class.

ANS: T

6. True/False: More than one destructor function may be defined for a class.

ANS: F

7. True/False: Object-oriented programming is centered around the object, which encapsulate together both the data and the functions that operate on the data.

ANS: T

8. True/False: You must declare all data members of a class before you declare member functions.

ANS: F

9. True/False: You must use the `private` access specification for all data members of a class.

ANS: F

10. True/False: A private member function is useful for tasks that are internal to the class, but is not directly called by statements outside the class.

ANS: T

11. True/False: If you do not declare a destructor function, the compiler will furnish one automatically.

ANS: T

12. True/False: When an object is defined without an argument list for its constructor, the compiler automatically calls the object's default constructor.

ANS: T

13. True/False: One purpose that constructor functions are often used for is to allocate memory that will be needed by the object.

ANS: T

14. True/False: One purpose that destructor functions are often used for is to free memory that was allocated by the object.

ANS: T